

TRIVETIS

Miconazole Nitrate, Polymyxin B-Sulfate & Prednisolone Acetate Otic Solution

Composition:

Each ml contains:

Prednisolone Acetate USP	5 mg
Polymyxin B-Sulfate USP.....	0.5293 mg
Miconazole Nitrate USP	23 mg
Excipients	q.s

Indications:

Trivetis is indicated for the treatment of otitis externa associated with susceptible strains of yeast (*Malassezia pachydermatus*) and bacteria (*Staphylococcus pseudintermedius*). By virtue of its 3 active ingredients, Trivetis has antibacterial, antifungal and anti-inflammatory activity.

Polymyxin B Sulphate- It is a broad-spectrum polypeptide antibiotic with activity against both Gram-Positive and Gram-Negative species.

Miconazole Nitrate – It is a synthetic imidazole derivative with antifungal activity and antibacterial activity against Gram positive bacteria. Moreover, synergistic effects between miconazole nitrate and Polymyxin B Sulphate have been demonstrated in an in vitro study.

Prednisolone Acetate – It is a glucocorticoid with anti-inflammatory activity. A study performed using an experimentally- induced model of ear- inflammation in mice demonstrated the effectiveness of prednisolone acetate in treating ear inflammation either alone or in combination with other active ingredients of Trivetis.

How does Trivetis work?

Trivetis combines the anti-inflammatory, antibacterial, and antifungal properties of three active ingredients. Prednisolone Acetate reduces inflammation, itching, and redness in the ear canal. Polymyxin B-Sulfate targets Gram-negative bacteria by disrupting bacterial cell membranes. Miconazole Nitrate interferes with the synthesis of fungal cell membranes, effectively treating yeast and fungal infections. Together, these components provide comprehensive relief from ear infections while promoting healing and reducing discomfort.

Direction for use:

Tilt head so that the affected ear is presented in an upward orientation. Administer the recommended dosage of Trivetis to coat the ear lesions and ear canal or as directed by your veterinarian. Following treatment, gently massage the ear so as to ensure complete and uniform distribution of the medication throughout the external ear canal. Shake well before use.

Dosage:

The external ear should be thoroughly cleaned and dried before the initiation of the treatment. In still 5 drops of Trivetis in the ear canal and massage the ear. Apply twice daily for a duration of up to 14 days or as directed by your veterinarian.

***Consult your veterinarian for accurate dosage information.**

Side Effects:

Trivetis is generally well tolerated in dogs and cats. Mild and transient side effects may include redness or irritation at the site of application, temporary hearing loss (rare), and increased ear discharge or discomfort. If any of these symptoms persist or worsen, discontinue use and consult your veterinarian. Prolonged use may increase the risk of corticosteroid-induced skin thinning or fungal overgrowth.

Contraindications:

Do not use in pets with known hypersensitivity to prednisolone, polymyxin B, or miconazole. Not recommended for use in animals with ruptured tympanic membranes. Avoid concurrent use with other ototoxic drugs.

Storage:

Store at room temperature, away from direct sunlight. Use the solution within 30 days of the opening the container.

Presentation:

15 ml

Shelf Life:

36 Months

FOR VETERINARY USE ONLY.

NOT FOR HUMAN USE.

KEEP OUT OF REACH OF CHILDREN.

NOT FOR OPHTHALMIC USE.

